

DSC-02002

IN THE CLAIMS:

1. (Currently Amended) A method for generating electricity comprising:
storing liquid hydrogen in a storage tank;
removing liquid hydrogen from a first location in said storage tank;
capturing boiled off hydrogen gas from a second location in said storage tank;
storing said hydrogen gas in a second tank;
venting said captured hydrogen gas from said second tank if said captured hydrogen gas pressure exceeds a threshold;
fueling a hydrogen conversion device with said stored hydrogen gas; and,
generating electricity with said hydrogen conversion device.
2. (Original) The method of claim 1 wherein said hydrogen conversion device is an internal combustion engine.
3. (Original) The method of claim 2 further comprising the step of collecting waste heat from said internal combustion engine.
4. (Original) The method of claim 1 wherein said hydrogen conversion device is an expansion engine.
5. (Original) The method of claim 1 wherein said hydrogen conversion device is a sterling engine.
6. (Original) The method of claim 5 further comprising the step of collecting waste heat from said sterling engine.
7. (Original) The method of claim 1 wherein said hydrogen conversion device is provided hydrogen gas at a rate between 2 scf/hr and 4000 scf/hr.
8. (Original) The method of claim 7 wherein said hydrogen conversion device is provided hydrogen gas at a rate between 40 scf/hr and 400 scf/hr.
9. (Original) The method of claim 8 wherein said hydrogen conversion device is provided hydrogen gas at a rate of 40 scf/hr.
10. (Original) The method of claim 1 further comprising the step of generating liquid hydrogen.
11. (Currently Amended) A method for generating power in a liquid hydrogen storage facility having ancillary and control equipment comprising:
storing liquid hydrogen in a storage tank;
removing liquid hydrogen from a first location in said storage tank;
capturing boiled off hydrogen gas from a second location in said storage tank;
storing said captured hydrogen gas in a second tank;
operating a hydrogen conversion device fluidly coupled to said second tank with said captured hydrogen gas;
generating electricity with said hydrogen conversion device;

DSC-02002

operating the ancillary and control equipment with said generated electricity.

12. (Original) The method of claim 11 wherein said hydrogen conversion device is an internal combustion engine.

13. (Original) The method of claim 11 wherein said hydrogen conversion device is an expansion engine.

14. (Original) The method of claim 11 wherein said hydrogen conversion device is a sterling engine.

15. (Original) The method of claim 14 further comprising the step of collecting water heat from said sterling engine.

16. (Currently Amended) An electrical generator system for use in a facility storing liquid hydrogen, said facility comprising:

- a liquid hydrogen storage tank;
- a liquid hydrogen removal valve connected to said storage tank;
- a pressure relief valve connected to said storage tank distal from said removal valve; and,
- a hydrogen conversion device fluidly connected to said pressure relief valve, wherein said hydrogen conversion device is downstream from said relief valve.

17. (Original) The electrical generator system of claim 16 further comprising an electrical generator coupled to said hydrogen conversion device.

18. (Original) The electrical generator system of claim 17 wherein said hydrogen conversion device is an internal combustion engine.

19. (Original) The electrical generator system of claim 17 wherein said hydrogen conversion device is an expansion engine.

20. (Original) The electrical generator system of claim 17 wherein said hydrogen conversion device is a Stirling engine.

21. (Original) The electrical generator system of claim 20 wherein said sterling engine includes an exhaust outlet and a heat collector adjacent its exhaust outlet, said heat collector transferring heat from said exhaust to another medium.

22. (Original) The electrical generator system of claim 17 further comprising a buffer tank connected to said pressure relief valve and said hydrogen conversion device.

23. (Original) The electrical generator system of claim 22 further comprising at least one pump connected to said liquid hydrogen storage tank and electrically connected to a utility electrical grid, said pump moving liquid hydrogen from the tank.

DSC-02002

24. (Original) The electrical generator system of claim 23 wherein said pump is electrically connected to said electrical generator wherein said electrical generator provides electricity to said pump in the event that utility grid electricity is interrupted.
25. (Currently Amended) A method for generating electricity comprising:
storing liquid hydrogen in a storage tank;
removing liquid hydrogen from a first location in said storage tank;
capturing boiled off hydrogen gas from a second location in said storage tank;
storing said captured hydrogen gas in a second tank;
rotating an expansion engine with said captured hydrogen gas;
fueling a hydrogen conversion device with said captured hydrogen gas; and,
generating electricity with said hydrogen conversion device.
26. (Original) The method of claim 25 wherein said hydrogen conversion device is an internal combustion engine.
27. (Original) The method of claim 26 further comprising the step of operating a turbocharger coupled to said expansion engine.
28. (Original) The method of claim 25 wherein said hydrogen conversion device is a Stirling engine.
29. (Currently Amended) An electrical generator system for use in a liquid hydrogen storage facility comprising:
a liquid hydrogen storage tank;
a liquid hydrogen removal valve connected to said storage tank;
a pressure relief valve connected to said storage tank distal from said removal valve; and,
a hydrogen conversion device fluidly connected to said pressure relief valve opposite said liquid hydrogen storage tank;
an electrical generator coupled to said hydrogen conversion device; and,
an expansion engine connected to said pressure relief valve.
30. (Original) The electrical generator system of claim 29 wherein said hydrogen conversion device is an internal combustion engine.
31. (Original) The electrical generator system of claim 30 wherein said expansion engine is connected to a turbocharger on said internal combustion engine.
32. (Currently Amended) A pumping system comprising:
a liquid hydrogen storage tank, said storage tanking including a liquid outlet and a gas outlet, said gas outlet being distal from said liquid outlet;
a hydrogen conversion device fluidly connected to and arranged to receive gas from said tank gas outlet; and,
at least one pump electrically connected to said hydrogen conversion device.
33. (Original) The pumping system of claim 32 wherein said hydrogen conversion device is an internal combustion engine.

DSC-02002

34. (Original) The pumping system of claim 32 wherein said hydrogen conversion device is a gas turbine.

35. (Original) The pumping system of claim 32 wherein said hydrogen conversion device is a expansion engine.

36. (Currently Amended) A method for operating a pump comprising:
storing liquid hydrogen in a storage tank;
removing liquid hydrogen from a first location in said storage tank;
capturing boiled off hydrogen gas from a second location in said storage tank;
storing said hydrogen gas in a second tank;
fueling a hydrogen conversion device fluidly coupled to said second tank with said stored hydrogen gas; and,
rotating at least one pump with said hydrogen conversion device.

37. (Original) The method of claim 36 wherein said hydrogen conversion device is an internal combustion engine.

38. (Original) The method of claim 37 further comprising the step of collecting waste heat from said internal combustion engine.